

# RRW 400/500

## Beet Overloading Wagon



- Overloading capacity: 2,100 t/h
- Unloading time: 60 s
- Capacity: 39 m<sup>3</sup> / 50 m<sup>3</sup>
- On-board hydraulic: 400 bar
- Transfer belt - 2 m wide,  
3 times hydraulically foldable
- Hydraulic chassis

**BERGMANN**

*...the specialists*

# Highest performance...



- Optimal workload of permanently working beet harvester through top transfer performance and a 50 m<sup>3</sup> bunker.
- Stepless adjustment of overloading quantity via on-board hydraulic.
- Three times foldable transfer conveyor allows for high flexibility at unloading site.
- Perfect control of machine functions via E-control and additional terminal on the left side of the tractor cabine.
- Optional crab steering for maximum soil protection.



- Gentle beet treatment via specially shaped pusher bars of scraper floor and transfer conveyor.
- Cleaning effect through rubber roller bars.
- High solid all steel bin construction.
- Optional tire pressure control system optimises contact surface.

**BERGMANN**

*...the specialists*

## Technical Data

			RRW 400	RRW 500	Optional:
Measures and weights			Tandem	Tridem	Tires:
Length *	mm		9,550	11,950	710/50 R 26.5
Width *	mm		3,000		750/45 R 26.5
Height *	mm		3,918		800/45 R 26.5
Capacity	m <sup>3</sup>		39	50.7	710/50 R 30.5
Length body	mm		8,800	10,200	800/45 R 30.5
Width body	mm		2,800		Lift axle
Height body	left	mm	2,100		Electronic forced steering
	right	mm	1,200 + 255 (Rubber lip)		Crab steering
Loading height	left	mm	3,918		Central lubrication system
	right	mm	3,018 + 255 (Rubber lip)		Additional terminal
Overloading height	max.	mm	4,200	4,200	Tire pressure control system
Width transfer conveyor	mm		2,000	2,000	Camera systems
Transfer performance	t/h		2,100	2,100	LED work lights
Overlading time	s		45	60	
Net weight *	kg		10,900	13,600	
Gross vehicle weight **	kg		16,000 / 36,000	18,000 / 52,000	

\*depending on equipment \*\*street / field



Manure Spreaders – Universal Spreaders – Loading and Silage Trailers – Forage Transport Trailers – Vario Systems – Special Vehicles



*...the specialists*

**Ludwig Bergmann GmbH • Maschinenfabrik**

Hauptstraße 64-66 · 49424 Goldenstedt /Germany

Tel.: +49 (0)44 44 - 2008-0 · Fax: +49 (0)44 44 - 2008 88

www.bergmann-goldenstedt.de · info@l-bergmann.de

